



Lifetime

Certified

Certified

Certified

Warranty



Ra Available

IP Grade Available



Features

- Outdoor (IP68) & indoor (IP22) are available Epistar chips,
- LM80 tested
- Ra95+/Ra90+ /80+, with high R9 & R13 value
- Cuttable every 24 LEDs for 24V
- 3M double sided tape for easy installation
- cULus Listed, 5 years warranty







BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
Mail: sales@blueviewled.com Web.: www.blueviewled.com
Add: No.1000, Section 2, 2nd Konggang Road, Southwest
Aviation Industrial Development Zone, Chengdu, Sichuan, China.
Zip code: 610207

Specifications are subject to change without notice.
©Blueview™ 2016 – All rights reserved. Made in China.

Specifications

LED Type	SMD 3528	Dimmable	Yes (compatible with BV311 RF dimmer & BV Dimmer)
LED Q'ty/m	432pcs	IP grade	IP22 (IP68 available upon request)
Input Voltage	24VDC Constant Voltage	Installation	3M™ double sided tape
Power	34.5W/m	Working Temperature	-25~+60°C
Cutting length	24V 55.5mm 24 LEDs	Max run	24V 5 meters
Strip Width	28mm	Certification	E354137 cULus Listed, CE, RoHs
Viewing Angle	120°	Warranty	5 years/ 3 years ^①

Order Code	CCT/ Color	CRI	Lumen/M ^②
FN-3528A-432-24-25K	 2425-2580K	80+, 90+, 95+	2246
FN-3528A-432-24-27K	 2645-2800K	80+, 90+, 95+	2246
FN-3528A-432-24-30K	 2850-3025K	80+, 90+, 95+	2419
FN-3528A-432-24-35K	 3270-3545K	80+, 90+, 95+	2419
FN-3528A-432-24-42K	 3840-4060K	80+, 90+, 95+	2764
FN-3528A-432-24-50K	 4830-5095K	80+, 90+, 95+	2764
FN-3528A-432-24-55K	 5400-5800K	80+, 90+, 95+	2073
FN-3528A-432-24-65K	 6260-6680K	80+, 90+, 95+	2592
FN-3528A-432-24-90K	 7836-9000K	80+	2246
FN-3528A-432-24-R	 625nm	—	1123
FN-3528A-432-24-G	 525nm	—	1836
FN-3528A-432-24-B	 465nm	—	712
FN-3528A-432-24-Y	 592nm	—	864
FN-3528A-432-24-PK	 Pink	—	1512
FN-3528A-432-24-PL	 Purple	—	129

Note^①: Contact Blueview for exact warranty period and policy

Note^②: Lumen output are based on CRI80+ measured according to PMS-80, with a tolerance of +/- 5%

Note^③: Standard package: 5m/roll

BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu, Sichuan, China.
 Zip code: 610207


Specifications are subject to change without notice.
 ©Blueview™ 2016 – All rights reserved. Made in China.

Order Code


Model	Quality level	LED Q'ty/M	Input voltage	CCT/Color
FN	3528A	432	24	27K
FN-IP22 FWE-IP68	3528A-5 yrs warranty		24-24V DC	view table above for options

Dimension

Unit:mm[in]



Package



Packing Info

Order Code	Net Weight / CTN	Gross Weight / CTN	Units / CTN	Carton Size
FN-3528A-432	8.12 (1±10%) kgs	11.92 (1±10%) kgs	35 rolls	550*400*340mm

Remark: Data to change according to reality without prior notice.

BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu, Sichuan, China.
 Zip code: 610207

Specifications are subject to change without notice.
 ©Blueview™ 2016 – All rights reserved. Made in China.