

TEST REPORT IEC TR 62778

Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires

Report Number...... GZES170601035331

Date of issue.....: 2017-06-28

Total number of pages......

Name of Testing Laboratory SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou

preparing the Report.....: Branch

198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China

Applicant's name Blueview Elec-optic Tech Co., Ltd

Industrial Development, Chengdu, Sichuan, China.

Test specification:

Standard....:: IEC TR 62778:2014 (Second Edition)

Test procedure: Test Report

Non-standard test method: N/A

Test Report Form No.: IEC62778A

Test Report Form(s) Originator: TÜV SÜD Product Service GmbH

Master TRF.....: Dated 2016-02

Copyright © 2016 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Test item description: Strip

icom accompact minimum.

Blueview

Trade Mark:

Manufacturer:

Same as applicant

Model/Type reference:

FX-2016-X-X-X series

Ratings:

FX-2016-X-12-X series: 12 V d.c.

FX-2016-X-24-X series: 24 V d.c.



Page 2 of 8 Report No.: GZES170601035331

Res	Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):				
\boxtimes	Testing Laboratory:	SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch			
Testing location/ address:		198 Kezhu Road, Science City, Economic & Technology Development Area, Guangzhou, Guangdong, China			
	Associated CB Testing Laboratory:	E S S S S S S S S S S S S S S S S S S S			
Testing location/ address:		BRANGE			
Test	ed by (name, function, signature):	Alex Tan (an			
App	roved by (name, function, signature):	Karen Xie			
		1			
	Testing procedure: CTF Stage 1:	N/A			
Testing location/ address:					
Test	ed by (name, function, signature):				
App	roved by (name, function, signature):				
	Testing procedure: CTF Stage 2:	N/A			
Testing location/ address:					
Test	ed by (name + signature):				
Witn	essed by (name, function, signature) .:				
App	roved by (name, function, signature):				
	Tootius and a deman OTE Otems 2	N/A			
	Testing procedure: CTF Stage 3:	N/A			
Ш	Testing procedure: CTF Stage 4:	N/A			
Testing location/ address:					
Tested by (name, function, signature):					
Witnessed by (name, function, signature) .:					
Approved by (name, function, signature):					
Supervised by (name, function, signature):					



Page 3 of 8 Report No.: GZES170601035331

List of Attachments (including a total number of Attachment 1: Photo documentation (total 1 page).	pages in each attachment):			
Summary of testing:				
The tests were conducted under 24 V which powere				
After review, FN-2016-266-24-6500K was selected t	or testing as representative.			
Tests performed (name of test and test	Testing location:			
clause):	Refer to page 1			
All applicable test items.				
Summary of compliance with National Differences (List of countries addressed): N/A				
☐ The product fulfils the requirements of (insert standard number and edition and delete the text in parenthesis, leave it blank or delete the whole sentence, if not applicable)				
Copy of marking plate: N/A				



Page 4 of 8 Report No.: GZES170601035331

☐ LED package			
LED module			
☐ Lamp			
□ Luminaire			
24 V d.c.			
_			
_			
_			
⊠ Not applicable			
☐ LED package			
☐ LED module			
□ Lamp			
Report number:			
N/A			
P (Pass)			
F (Fail)			
2017-06-27			
2017-06-27 to 2017-06-28			
ppended to the report.			
he report.			
used as the decimal separator.			
ncertainty of tests has been considered.			
This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx . Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.			



Page 5 of 8 Report No.: GZES170601035331

Manufacturer's Declaration per sub-clause 4.2.5 of IECEE 02:					
•	T				
The application for obtaining a CB Test Certificate includes more than one factory location and a	Yes				
declaration from the Manufacturer stating that the	⊠ Not applicable				
sample(s) submitted for evaluation is (are)					
representative of the products from each factory has					
been provided:					
NATIon differences swints they shall be identified in t	ha Canaval muadust information agation				
When differences exist; they shall be identified in t	•				
Name and address of factory (ies):	Same as manufacturer				
General product information:					
The product can emit white light when powered.					
FX-2016-X-X-X series					
The 1 st "x" in the type designation can be WS, WT and	The 1 st "x" in the type designation can be WS, WT and N, indicating the waterproof grade.				
The 2 st "x" in the type designation can be 1 to 500, inc	licating the quantity of LED.				
The 3 st "x" in the type designation can be 12 or 24, indicating the input voltage in Volts.					
The 4 st "x" in the type designation can be 2200K to 6500K, indicating the CCT of LED.					
All models are identical in circuit design, PCB layout, component used except for model number and CCT.					
- m measis and resimination of our deorgrif, 1 00 ray out,	somponent deed energy in model number and corr				



Page 6 of 8 Report No.: GZES170601035331

IEC TR 62778				
Clause	Requirement + Test		Result - Remark	Verdict

7	MEASUREMENT INFORMATION FLOW		
7.1	Basic flow		
	'Law of conservation of luminance' applied		
	Use of only true luminance/radiance values		N/A
	In case of luminaire: The light source is operated in the luminaire under similar conditions as when tested as a component		N/A
	In case E _{thr} value for RG2 was established the peak value was derived from angular light distribution		N/A
7.2	Conditions for the radiance measurement		
	Standard condition applied (200mm distance, 0,011rad field of view)		Р
	Non-standard condition applied		N/A
7.3	Special cases (I): Replacement by a lamp or LED module of another type		
	Light source is a white light source		N/A
	Evaluation done based on highest luminance		N/A
	Evaluation done based on CCT value		N/A
7.4	Special cases (II): Arrays and clusters of primary light sources		
	LED package is evaluated as:	☐ RG0 unlimited ☐ RG1 unlimited	N/A
	E _{thr} of LED package applies to array		N/A
8	RISK GROUP CLASSIFICATION		
	Risk group achieved:		Р
	Risk Group 0 unlimited		N/A
	Risk Group 1 unlimited		Р
	- E _{thr} (lx) : Distance to reach RG1 (m) :		N/A



Page 7 of 8 Report No.: GZES170601035331

	TABLE: Spectroradiometric measurement					Р
	Measurement perfe	ormed on:		☐ LED package		
				LED module		
				☐ Lamp		
				□ Luminaire		
	Model number			FN-2016-266-24-6	6500K	
	Test voltage (V)			. 24 V		_
	Test current (mA)			_		_
	Test frequency (Hz)			DC		_
	Ambient, t (°C)			25		_
	Measurement distance			☑ 20 cm		_
				☐ cm		
	Source size			. ⊠ Non-small		_
	Field of view			Small: mm		
				☐ 100 mrad		<u> </u>
				⊠ 11 mrad		
				1,7 mrad (for small sources)		
	Item	Symbol	Units	Result	Remark	
Correlated colour temperature		CCT	K	7170	_	
x/y colour coordinates				0,3027 / 0,3213		
Blue light hazard radiance		L _B	W/(m ² •sr ¹)	178	_	
Blue light hazard irradiance		E _B	W/m ²	_	_	
Luminance		L	kcd/m ²	163800	_	
Illuminance		E	lx	_	_	
					_	
Supplementary information:						
_						



Page 8 of 8 Report No.: GZES170601035331

Attachment 1: Photo documentation

Details of: General view for the product



Details of: View for the LED



— End of report —