

VERIFICATION OF COMPLIANCE

No.: GZES2204007204LM

Applicant: Blueview Elec-optic Tech Co., Ltd.
1000, Section 2, 2nd Konggang Road, Southwest Aviation
Industrial Development Zone, Chengdu, Sichuan, China

Manufacturer: Same as applicant

Product Name: LED border tubing and contour lighting

Product Description: Fixed luminaire

Model No.: See Page 2

Trade Mark: 

Rating: Input: 24 V d.c.
other information see page 2 for details

Protection against Electric Shock: Class III

Degree of Protection: IP66

Additional Information (if any): Suitable for direct mounting on normally flammable surfaces;
non replaceable LEDs; RG0; ta: 50 °C

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN IEC 60598-2-1: 2021
EN IEC 60598-1: 2021 + A11: 2022

as shown in the

Test Report Number(s): GZES220400720401

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant specific standards.



David Guo

Senior Technical Manager

SGS-CSTC



2022-08-05

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>
Member of SGS Group (Société Générale de Surveillance)



No.:

GZES2204007204LM

Other information added:

Rating:

FB-R-X, FB-W-X, FB-O-X, FB-G-X, FB-RY-X, FB-Y-X, FB-B-X, FB-XR-X, FB-XW-X, FB-XO-X, FB-XG-X, FB-XY-X, FB-XB-X, BC2-X, BCX, BP2-X, CSX, KPT8-X, MX-X, MN-X, MZ18-X, PQX-X, PSX-X, PTX-X, PZX-X, PXX-X, QGX-X, SG2-X, SM2-X, SSX, STX-X, Z18-X, Z19-X, O3030-X, O60-X, DMX, DMX-X-X, BV-AL-X, BV-B-X, BV-SMD-X, BP2-X, BPS-X, X-BAR-X-X-X, CG2-X, FB-X, FYD2-X, QBPS-X, QYD8, Y6, YD2-X, YD3-X, YD7-X, YD8X, CCX-GX-X-X, FX-X-X-24-X, FX-HX-X-24-X, FX-FX-X-24-X, FX-XX-X-24-X, CX-X-X-24-X, LX-X-X-24-X, CX-HX-X-24-X, SX-X-X-24-X, SX-SX-X-24-X, MN-X-X-24-X, TX-XX-X-24-X, (V)(P)TW-X-X-24-X, FWSL2216-X-X, TCCN-HX-X-X, DMXN-XX-5050-X-X, DX-XX-X-24-X (X=any number or Alphabet).

NDFXXXX, NCRXXXX, NDRXXXX, NMRXXXX, NSFXXXX, NSRXXXX, NMFXXXX, CRXXXX

(The former two X=the width of product, the latter two X=the height of product).

No.	Rating Power (W)	No.	Rating Power (W)
FB-R-05028	3,84 W	Z19 2.0	3,0 W
FB-R-10056	7,68 W	YD2-2403	3,84 W
FB-R-14084	10,75 W	YD2-4806	5,76 W
FB-R-27161, FB-R-X, FB-W-X, FB-O-X, FB-G-X, FB-RY-X, FB-Y-X, FB-B-X, FB-XR-X, FB-XW-X, FB-XO-X, FB-XG-X, FB-XY-X, FB-XB-X	20,74 W	BV-YD8-3, BV-YD8-4, BV-YD8-7, JYD8-2703, JYD8-3604, JYD8-6307, FYD8-3604, FYD8-6307	3,2 W
757	1,5 W	FYD2-E-0506	5,04 W
B2S	3,5 W	FYD2-E-9010	8,4 W
BV-B18	1,45 W	FYD2-E-1112	10,8 W
M8	4,0 W	YD2-NW	10,0 W
STL-H-2	0,72 W	BV-YZ9-3	7,92 W
STL-H-4	1,44 W	BV-YZ9-5	13,2 W
SG2D	1,0 W	BV-YZ9-6	15,02 W
BPS1-S 3	8,2 W	BP2-W	18,0 W

David Guo
Senior Technical Manager
SGS-CSTC



2022-08-05

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>
Member of SGS Group (Société Générale de Surveillance)



No.:

GZES2204007204LM

Other information added:

Rating:

No.	Rating Power (W)	No.	Rating Power (W)
BPS1-S 5	13,5 W	YD7 3.0-1012	15,0 W
BPS1-S 6	15,6 W	WNYD7 3.0-1012	7,44 W
BPS1-S 8	16,0 W	JYD8 3.0-0507	3,1 W
YD2-9612	11,52 W	JYD8 3.0-1014	6,3 W
YD8 3.0	6,2 W	FYD7-1012	7,44 W
JYLT2 2.0-0515	6,6 W	FYD8-2703	3,2 W
JYLT2 2.0-1030	13,2 W	QYD8-0509	12,0 W
JYLT2 2.0-1236	15,84 W	QWYD8-0512	15,0 W
BV-BPS-365-5G1	13,20 W	BQ5-A	7,56 W
BV-BPS-438-6G1	15,02 W	BV-Y6-12	4,8 W
BV-BPS-365-5G2	13,2 W	CCX-GX-X-X, FX-X-X-24-X, FX-HX-X-24-X, FX-FX-X-24-X, FX-XX-X-24-X, CX-X-X-24-X, LX-X-X-24-X, CX-HX-X-24-X, SX-X-X-24-X, SX-SX-X-24-X, MN-X-X-24-X, TX-XX-X-24-X, (V)(P)TW-X-X-24-X, H150, FWSL2216-X-X, TCCN-HX-X-X, DMXN-XX-5050-X-X, H25, N2, DX-XX-X-24-X, NDFXXXX, NCRXXXX, NDRXXXX, NMRXXXX, NSFXXXX, NSRXXXX, NMFXXXX, CRXXXX	20,0 W
BV-BPS-438-6G2	15,02 W		
QBPS-0306	12,72 W		
QBPS-0509	19,0 W		
QBPS-0307-C	12,0 W		
YD7 3.0-0303	3,7 W		
YD7 3.0-0506	7,5 W		
WNYD7 3.0-0304, WNYD7 3.0-0506, FYD7-0303, FYD7-0506	3,72 W		
JYLT2 2.0-0618, BV-BPS-219-3G1, BV-BPS-219-3G2	7,92 W		

David Guo
Senior Technical Manager
SGS-CSTC

2022-08-05

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>

Member of SGS Group (Société Générale de Surveillance)