



ChipBrand



One BIN only
for a CCT range



Lifetime



Certified




Certified



Warranty



Certified



Ra Available

IP Grade Available



Features

- 130LM/M Light Efficacy
- Constant Voltage 24VDC system
- Silicone coated-IP65, indoor-IP22 available
- Epistar chips, LM80 tested
- Ra90+/80+
- CE and RoHS certified
- 5 years warranty









BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu,Sichuan, China.
 Zip code: 610207

Specifications are subject to change without notice.
 © Blueview™ 2016 – All rights reserved. Made in China.

Specifications

LED Type	SMD 2835	Dimmable	Yes (compatible with BV311 RF dimmer & BV Dimmer)
LED Q'ty/m	432pcs	IP grade	IP22 (IP65, available upon request)
Input Voltage	24VDC Constant Voltage	Installation	Heat-conductive adhesive tape (Heat sink is necessary)
Power	38.88W/m	Working Temperature	-25~+60 °C
Cutting length	18.5mm, 8 LEDs	Max run	4 meters(Single Feed)
Strip Width	28mm	Certification	CE,RoHs
Viewing Angle	120°	Warranty	5 years

Order Code	CCT/ Color	CRI	Lumen/M ^②
FN- H2835A-80-432-27K	 2645-2805K	90+, 80+	5184~6221
FN- H2835A-80-432-29K	 2855-3025k	90+, 80+	
FN- H2835A-80-432-34K	 3265-3535K	90+, 80+	
FN- H2835A-80-432-42K	 3897-4223K	90+, 80+	
FN- H2835A-80-432-51K	 4900-5300K	90+, 80+	
FN- H2835A-80-432-57K	 5477-6020K	90+, 80+	
FN- H2835A-80-432-63K	 6020-6530K	90+, 80+	
FN- H2835A-80-432-65K	 6175-6825K	90+, 80+	

Note^①: Contact Blueview for exact warranty period and policy

Note^②: Lumen output are based on CRI80+ measured according to PMS-80, with a tolerance of +/- 5%

Note^③: Standard package: 5m/roll

Order Code

Model	Quality level	LED Q'ty/M	Input voltage	CCT/Color
FN	H2835	432	24	27K
FN-IP22 FWS-IP65	H2835-5yrs warranty		24V DC	view table above for options


BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu,Sichuan, China.
 Zip code: 610207


Specifications are subject to change without notice.
 ©Blueview™ 2016 – All rights reserved. Made in China.

Dimension

Unit:mm[in]



Package



Packing Info

Order Code	Net Weight / CTN	Gross Weight / CTN	Units / CTN	Carton Size
FN-H2835-64-432	11.90 (1±10%) kgs	13.20(1±10%) kgs	35 rolls	550*400*340mm
FWS-H2835-64-432	22.05 (1±10%) kgs	23.35 (1±10%) kgs	35 rolls	550*400*340mm

BLUEVIEW ELEC-OPTIC TECH CO.,LTD

Tel: +86-28-8148 0011 Fax: +86-28-8148 1258
 Mail: sales@blueviewled.com Web.: www.blueviewled.com
 Add: No.1000, Section 2, 2nd Konggang Road, Southwest
 Aviation Industrial Development Zone, Chengdu,Sichuan, China.
 Zip code: 610207

Specifications are subject to change without notice.
 ©Blueview™ 2016 – All rights reserved. Made in China.