





COMPANY PROFILE

BLUEVIEW ELEC-OPTIC TECH CO.,LTD. is a pioneer developer in China's LED signage lighting and linear lighting market, not only participating but also promoting the development of the entire LED industry.

Blueview has been offering professional integrated and ingenious solutions with abundant products including signage, lighting products and others since 2004.

To lead the innovation trend, Blueview introduced "Smart Control" to its products which triggered a major breakthrough for the whole LED industry. Blueview aims to provide customers with complete LED smart lighting system solutions, from lamps to systems to IOT, everything.

We always pursuit the faith that Better light could bring Better life and we never slow down the path for innovation&creation.

Missions

Lead the development for LED industry while shouldering the social responsibilities. Bring the maximum profits to our consumers while maintaining the highest level of lighting solution services.

Strength

Meticulous Quality Control system High reputation around the world Seasoned and professional project experiences Persistent Research&Development

Culture&Values

Perfectionism

We always treat every detail with rigorous and severe attitude.

Consumer Satisfaction

We always provide customization and circumspect lighting solution services for each individual project. Innovation

We always challenge ourselves and exploit new path to "Blue Sea".

High Performance Cost Ratio

We always require our products possessed with remarkable performance and reasonable cost.



COMPANY INTRODUCTION PRODUCTION BASE

Scale


40000m²

Employees


1200+

III Market Share

Own the largest market shares for LED advertising signage lighting



Acquired international management system certification of TUV,ISO9001, ISO14001,ISO45001,quality,environment, occupational health and safety



CE,UL,3C,FCC,ROHS etc.

Product Lines

LED Signage, LED Lightbox , LED Smart Lighting System ,LED Commercial Lighting

Global Business

Revenue

¥ 650 million in 2022

Domestic:55%,Overseas:45%

50 directly affiliated offices in China, 30+ Blueview homes



Headquarters in Chengdu, Sichuan



Production base in Dazhou,

Sichuan


Production base in Pujiang,

Sichuan

Production base in Zhongshan,

Guangdong

HISTORY & EVENTS



PAGE 008 PAGE 009



GLOBAL LAYOUT

Blueview not only has strong productivity and advanced quality inspection system, but also has a fast, convenient and personalized after-sales service system with more than 50 offices across the country.

Blueview's products has sold to more than 140 countries in North America, Europe, Asia and South America, and the export volume of LED strips ranked first in China in 2018. In order to expand the market, Blueview introduced its innovative linear lights to foreign customers during the Dubai World Expo in 2019.

"Leading the development of the industry with innovative products and improving people's lighting experiences" is the goal that Blueview always pursues.

PAGE 010 PAGE 10

FACILITIES

Blueview has full sets of incoming material inspection, environmental test, measurement and analytic equipment. We have been authorized as the third party testing lab by TÜV Rheinland.






SMT System	32	sets
12 Zone Reflow Soldering Machine	9	sets
Auto Extrusion System	2	sets
Tape Light Auto Soldering System	10	sets
Rigid Bar Soldering Machine	1	set
Semi-Automatic Solder Paste Printer	28	sets
PCB Separating Machines	5	sets
Horizontal Injection Machine	11	sets
Vertical Injection Machine	26	sets
Auto Glue Dispenser	18	sets
Electric Blast Drying Box	10	sets
UV Oven	2	sets
Aging System	75	sets
AOI 4Sets	4	sets
Auto Solder Paste Printer	10	sets
3D SPI	2	sets
Auto Online Laser Engraving Machine	14	sets
Auto Lens Mounter	3	sets
Auto Pad Printing Machine	1	set
Automatic Glue Sprayer	2	sets
Baking Oven	9	sets
Wave Soldering Machine	2	sets
Automatic Stencil Cleaner	1	set



Main Testing Equipment List

Pressure Tester	1	set
Copper Foil Peel Strength Tester	1	set
Two-Dimensional Tester	1	set
Metallographic Microscope	1	set
Drop Test Machine	1	set
Vibration Test Bench	1	set
LCR Tester	1	set
Xenon Lamp Weather Test Box	1	set
Programmable High And Low Temperature Test Chamber	1	set
Tensile Testing Machine	1	set
RoHS Test System	1	set
Electronic Load Tester	1	set
Ground Resistance Tester	1	set
Haas-2000 High Precision Fast Spectrum Tester	1	set
Safety Performance Tester	1	set
UV Weather Resistance Test Chamber	1	set
LED Signage Light Source Product Aging Line	75	sets
Light Color Electrical Test System	1	set
Goniophotometers System	1	set
ICT Test System	2	sets
AOI Test System	4	sets
X-Ray	1	set
DC Low Resistance Tester	1	set
Antistatic Tester	1	set



Certification System
















CB


Patents



MARKETING ACTIVITIES

Blueview is the best in class for our forward-thinking capabilities and innovativeness. We work closely with our clients to develop products that are in trend to deliver functional and aesthetical advantages. All of our products are designed and engineered with the principles of captivating, ease of installation, usage and maintenance.







MARKETING ACTIVITIES



Blueview has always been customer-oriented, putting "product & service quality" in the first place, and persistently pursuing highly valuable products and innovative business models for employees, customers and society. Blueview will continue to lead the development of the industry and contribute to the global LED intelligentization process.

COOPERATIVE PARTNER

Blueview pays attention to customer experience and never slows down the pace of innovation to provide better services. In the past year, Blueview helped Sainsbury, the third largest retail supermarket in the UK, design a display solution for Linksys, provide LG with a digital display solution, and update the lighting fixtures of Volkswagen 4S store and Guerlain.






























































SOLUTION

RETAIL SHOP

LIGHTING SOLUTIONS

As an effective auxiliary means to directly enhance customers' desire to buy, the choice, arrangement and color of lighting are particularly important. The introduction of intelligent lighting not only enhances the overall sense of lighting hierarchy and sense of technology, but also customizes scene effects and energy-saving plans on demand, reflecting the idea of humanistic lighting.

Display Cabinet / Shelf Lighting-

It belongs to commercial lighting, and should pay attention to the color temperature and color rendering of the light, so that the product can be displayed more beautifully and uniquely.



PAGE 024 PAGE 025


LOGO **LIGHTING**


Product:

☑ Back-lit bar

✓ Edge-lit bar

✓ Module





SHOWCASE LIGHTING

Product:

☑ Rigid bar

✓ Lighting fixture

☑ Dynamic panel








Product:


✓ Neon

✓ Flexible panel

✓ Dynamic panel

✓ Strip






DISPLAY/ CABINET / SHELF LIGHTING

Product:

- ☑ Rigid bar
- ✓ Lighting fixture
- ✓ Flexible panel
- ✓ Dynamic panel



page 032










LED MODULE

Blueview Modules are suitable for indoor and outdoor light boxes, channel letters, etc.

Designs include through hole series, mini series, digital series, etc.










Light Color: STL-H-1 CCT (K): 6000-7000 Luminous Flux (Im/pcs) : 58 160 Efficacy (Im/W): Voltage (V DC): 12 Power (W/pcs): 0.36





Light Color : STL-H-2 CCT (K): 6000-7000 Luminous Flux (Im/pcs): 115 Efficacy (Im/W): 160 Voltage (V DC): 12/24 Power (W/pcs): 0.72





Light Color: STL-H-3 CCT (K): 6000-7000 Luminous Flux (Im/pcs) : 173 Efficacy (Im/W): 160 Voltage (V DC): 12 Power (W/pcs) : 1.08



Light Color : STL-H-4 CCT (K): 6000-7000 Luminous Flux (Im/pcs): 230 Efficacy (Im/W): 160 Voltage (V DC): 24 Power (W/pcs): 14.4





















LED MODULE


STL-H Suitable for 5-18cm depth light box,subway station,supermarket,bus station etc

PAGE 036 PAGE 037









M6-Pro

Suitable for 6-18cm depth advertising light box, signage lighting, letters etc.

 Light Color :
 W

 CCT (K) :
 6000-7000

 Luminous Flux (lm/pcs) :
 116

 Efficacy (lm/W) :
 105

 Voltage (V DC) :
 12

 Power (W/pcs) :
 1.1

SS10

Suitable for Ultra mini letters with W≥ 1.3cm, H≥3cm; or advertising light box with H≥3cm.

Light Color: W


CCT (K): 2000-12000

Luminous Flux (Im/pcs): 40

Efficacy (Im/W): 110

Voltage (V DC): 12

Power (W/pcs): 0.36









PQ5-B

Suitable for 5-18cm depth light box, subway station, supermarket, bus station etc

Light Color:	R	G	В	RGB
Color Available (K/nm):	620-625	525-530	465-470	100000
Luminous Flux (Im/pcs) :	5-7	10-12	2-3	19-21
Efficacy (Im/W):	≥24	≥49	≥9	≥24.5
Voltage (V DC):	12	12	12	12
Power (W/pcs):	0.2	0.2	0.2	0.65



LED RIGID BAR

Blueview rigid bars are suitable for 4-12cm light boxes.

Designs include single and curtain styles, multiple sizes are available and customization is supported.













Model No: H3-4807 H3-9313 W W Light Color: CCT (K): 3000-9000 3000-9000 1430 Luminous Flux (lm/pcs): Efficacy (lm/W): 130 130 Power (W/pcs): 6.0 11.0



PAGE 040 PAGE 041



BPS300-C-0510 BPS300-C-0205 Model No: 3000-6500 3000-6500 CCT (K): Luminous Flux (Im/pcs): 1944

90 Efficacy (lm/W): 90 10.8 Power (W/pcs): 21.6 10 LED Qty/pc:

























Model No.	L:mm/inch
BPS300-C-0205	250[9.84]
BPS300-C-0510	480[18.90]



DYNAMIC **PANEL**

Blueview's dynamic light box supports hard decoding of various animation and video formats, and can play various media files smoothly.

It has the advantages of low power consumption design, energy saving and long service life and especially suitable for light box advertising.



page 044














FLEXIBLE PANEL

✓ W ✓ CCT

✓ RGB ✓ RGBW ✓ Digital

Blueview flexible panel can be cut according to actual needs, available with single color, CCT, RGB, RGBW, and widely used in walls, ceilings, light boxes and curves spaces, etc.





H150-D3-DN4040-XXX-XX

Light Color:	R	G	В	RGB	
Color Available (K/nm):	620-625	515-530	460-470	/	
Luminous Flux (lm/pcs) :	548	1525	330	2343	
Efficacy (lm/W):	15	41	9	28	
Power (W/pcs) :	31	31	31	72	


40.0 [1.57]


																				-	_	1	
_	t					0		0		0	0	0		0	0	0		0	0	0		1	Ċ
				0		0		0		0		0		_	0	0		0	0				2
						0		0		0		0		0	0	0		0	0	0			0
						0		0		0		0		0	0	0		0	0	0			
[9.45]						0		0		0		0		0	0	_		_	0	0			
6						0		_		0		0		0	0	0		0	0	0			
240.0						0		0		0		0		0	0	0		0	0	0			
24						0		0		0		0		0	0	0		0	0	0			
						_		_		0		0		_		_		0	_				
						0		0		0		0		0	0	0		0	0	0			
						0		0		0		0		0	0	0		0	_	_			
_	Ļ			0		0		0		0		0	0	0	0	0	0	0	0	0			
		-																			-		
	480.0 [18.90]																						

LED NEON-

Blueview's Neon products have superior design with exquisite craftsmanship ensure stable and reliable performance.

Designs including side bending, top bending, 360° lighting, Neon cover, etc.






360° BENDING

NCR23

- 360° bending, easy to shape
- Uniform light emission in all directions
- With Designo Polish, eliminate sticky feelings



Light Color : Single color Ra : >80

CCT (K): 4000

Luminous Flux (lm/m): 1466

Efficacy (lm/W): 90.5

Voltage (V DC): 24

Power (W/m): 16.0

Light Color :	Red	Green	Blue	RGB
Luminous Flux (lm/m):	108	498	103	696
Efficacy (lm/W):	17.8	67.0	15.6	35.4
Voltage (V DC):	24.0	24.0	24.0	24.0
Power (W/m):	6.4	6.4	6.4	19.2

Note: all available colors including white/ red/green/blue/yellow/orange/RGB.

TOP BENDING NEON FLEX

- Multiple colors available.
- Waterproof IP67/68 available.
- Stable and reliable performance.




NDF1212-Single color



Glue Process (IP67)

5016.0 [197.48]


5000.0 [196.85]














NSF0612

Strong weather resistance Small in size, easy to install External controller/dimmer support



NSF0612-Single color

Color:	3900K	Red	Green	Blue	Yellow
Ra:	>80	/	/	/	/
lm/m:	218	86	114	39	201
Im/W:	19.3	7.2	9.5	3.3	16.8
W/m:	12.0	12.0	12.0	12.0	12.0

LED STRIP LIGHT

There are many kinds of products including mini series, high efficacy series, long run series, etc., which support customization to meet various needs of customers.



FN-2110-266/350-24





















Model No: FN-2110-266-24 FN-2110-350-24 Light Color: W CCT (K): 4000 4000 >90 / 95 >90 / 95 Luminous Flux (lm/m): 1135 / 930 1210 / 965

Efficacy (lm/W): 83 / 68 84 / 67 14.4 Power (W/m): 13.68





MN-2835A-120-12



Model No: MN-2835A-120-12

Light Color: W CCT (K): 4000 >90 912 Luminous Flux (lm/m): Efficacy (Im/W): 95 Power (W/m): 9.6

PAGE 056 PAGE 057



REEL-TO-REEL COB

Model No: FN-FC-480-24(HS)

 Light Color :
 W

 CCT (K) :
 4000

 Ra :
 >90

 Luminous Flux (lm/m) :
 950

 Efficacy (lm/W) :
 95

 Power (W/m) :
 10.0




















FN-FC-480-24(HS)

Good linear effection for container and display rack lighting, wardrobes, dark grooves, wall corners, shopping malls, entertainment clubs and so on.





FN-H2835K-90-24




















SUPER HIGH EFFICIENCY H2358K STRIP

Light Color: W CCT (K): 4000 Ra: >80 Luminous Flux (lm/m): 1042 Efficacy (Im/W): 217 Voltage (V DC): 24 Power (W/m): 4.8



PAGE 060 PAGE 061




ALUMINUM PROFILE


Blueview profiles are made of highquality 6063 aerospace aluminum with a silver anodized surface, a press-fit PC cover and push-fit plugs. Suitable for indoor lighting, with humanized design, it can bring a comfortable experience.
















Model No: SL101008-A










Model No: SL080804



















Model No: SL141512









Model No: SL202017-A














Model No: SL250712-A









Model No: SL303025-A





Model No: SL302027-A





SEAMLESS RIGID BAR

LED MODULAR LIGHTING SYSTEM

CG2-B **Features** - No dark spot at the linkage point for continuous seamless effect - Super slim linear LED with spot free high output

- Quick connection system
- Perfected with color consistency
- Various mounting methods including magnetic



Application

Suitable for the lighting of shelves, cabinets, display rack, props, etc







Installation



Magnetic Mounting Fixed Mounting

page 066





DFO-3030-40-24

 Light Color :
 W

 Color Available (K/nm) :
 4000


 Ra :
 >80

 Luminous Flux (lm/m) :
 2044

 Efficacy (lm/W) :
 142

 Voltage (V DC) :
 24

 Power (W/m) :
 14.4





- Optical lens design and waterproof, suitable for wall washing.
- Good brightness maintenance, long life span
- Excellent flexibility and bendable
- Support PWM, 0~10V, DALI, DMX dimming
- Multiple specifications, support customization

